KOCH.,

SAFETY DATA SHEET

1. Identification

Product identifier UfYUAa a cb]i a 'N]lfUY'Solutionz&+!\$!\$

Other means of identification

SDS Number KF UAN27 US EN

Synonyms Urea Ammonium Nitrate by-product

Recommended use Fertilizer.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Company Name

Koch Fertilizer, LLC

4111 E 37th Street North

PO Box 2219

Wichita, KS, 67201-2219 kochmsds@kochind.com

1-316-828-7672

Emergency For Chemical Emergency

Call CHEMTREC day or night

1.800.424.9300

Mexico - 1.800.681.9531 Outside USA/Canada 1.703.527.3887 (collect calls accepted)

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Serious eye damage/eye irritation Category 2A

OSHA defined hazards Not classified.

Label elements



Signal word Warning

Hazard statement Causes serious eye irritation.

Precautionary statement

Prevention Wash thoroughly after handling. Wear eye/face protection.

Response If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information

Not applicable.

3. Composition/information on ingredients

Mixtures

Chemical name	CAS number	%
Water	7732-18-5	30 - 40

Urea Ammonium Nitrate Solution, 27-0-0

Version #: 01 Revision date: - Issue date: 17-Sept-2015 1 / 7

Urea	57-13-6	30 - 40
Ammonium nitrate	6484-52-2	30 - 40
Free Ammonia	7664-41-7	<0.90

Composition comments

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

This Safety Data Sheet is not a guarantee of product specification or NPK value(s). NPK content is on specified sales orders, customer invoices, or product specification sheets obtained from supplier.

4. First-aid measures

Inhalation Move person to fresh air. If the affected person is not breathing, apply artificial respiration. Get

medical attention if discomfort develops or persists.

Skin contactImmediately flush skin with plenty of water. Get medical attention if irritation develops and persists. **Eye contact**Immediately flush with plenty of water for up to 15 minutes. Remove any contact lenses and open

evelids wide apart. Get medical attention immediately.

Ingestion Rinse mouth thoroughly. Drink 1 or 2 glasses of water. Do not induce vomiting without advice from

poison control center. If vomiting occurs, keep head low so that stomach content doesn't get into

the lungs. Get medical attention.

Most important symptoms/effects, acute and delayed

Symptoms include itching, burning, redness, and tearing of eyes.

Indication of immediate medical attention and special treatment needed

Treat symptomatically.

General information Ensure that medi

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

5. Fire-fighting measures

Suitable extinguishing media Unsuitable extinguishing

media

Use fire-extinguishing media appropriate for surrounding materials.

None known.

Specific hazards arising from the chemical

Slight fire hazard. When water evaporates from this product residues may contain ammonium nitrate, and solid ammonium nitrate when sensitized during decomposition may become unstable and explosive.

Special protective equipment and precautions for firefighters

Selection of respiratory protection for firefighting: follow the general fire precautions indicated in the workplace. Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions

Move containers from fire area if you can do it without risk.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Avoid inhalation of vapors and spray mist and contact with skin and eyes. Wear suitable protective clothing. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. After removal flush contaminated area thoroughly with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not contaminate water. Do not allow to enter drains, sewers or watercourses.

7. Handling and storage

Precautions for safe handling

Avoid inhalation of vapors/spray and contact with skin and eyes. Use only with adequate ventilation. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Keep container tightly closed. Store in a cool, dry, well-ventilated place. Store away from incompatible materials.

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table 7-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	
Ammonia (CAS 7664-41-7)	PEL	35 mg/m3	
		50 ppm	
US. ACGIH Threshold Limit	Values		
Components	Туре	Value	
Ammonia (CAS 7664-41-7)	STEL	35 ppm	
	TWA	25 ppm	
US. NIOSH: Pocket Guide to	Chemical Hazards		
Components	Туре	Value	
Ammonia (CAS 7664-41-7)	STEL	27 mg/m3	
		35 ppm	
	TWA	18 mg/m3	
		25 ppm	
US. Workplace Environment	al Exposure Level (WEEL) Guides		
Components	Туре	Value	Form
Urea (CAS 57-13-6)	TWA	10 mg/m3	Total particulate.
ogical limit values	No biological exposure limits noted for the	ne ingredient(s)	

Biological limit values No biological exposure limits noted for the ingredient(s).

Exposure guidelines Follow standard monitoring procedures.

Observe Occupational Exposure Limits and minimize the risk of inhalation of vapors and spray Appropriate engineering mist. Provide adequate general and local exhaust ventilation. Provide eyewash station.

controls

Individual protection measures, such as personal protective equipment

Wear approved safety glasses or goggles. Eye/face protection

Skin protection

Hand protection Chemical resistant gloves are recommended. Be aware that the liquid may penetrate the gloves.

Frequent change is advisable. Suitable gloves can be recommended by the glove supplier.

Other Wear appropriate clothing to prevent repeated or prolonged skin contact.

Respiratory protection If engineering controls do not maintain airborne concentrations below recommended exposure

> limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Wear air supplied respiratory protection if exposure concentrations are unknown. In case of inadequate ventilation or risk of inhalation of

vapors, use suitable respiratory equipment.

In the United States of America, if respirators are used, a program should be instituted to assure

compliance with OSHA 29 CFR 1910.134 and ANSI Z88.2.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene Always observe good personal hygiene measures, such as washing after handling the material

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective considerations

equipment to remove contaminants. Handle in accordance with good industrial hygiene and safety

practice.

9. Physical and chemical properties

Colorless liquid. **Appearance**

Physical state Liquid. Liquid. **Form** Colorless. Color

Odor Slight ammonia. **Odor threshold** Not available. рH 6.8 - 8.5Melting point/freezing point Not available. 225 °F (107.22 °C) Initial boiling point and boiling

range

Urea Ammonium Nitrate Solution, 27-0-0

3/7 Version #: 01 Revision date: -Issue date: 17-Sept-2015

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Vapor pressureNot available.Vapor densityNot available.Relative density1.05 - 1.35 (30 °C)

Solubility(ies)

Solubility (water) 100%

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

10. Stability and reactivity

Reactivity Reacts violently with strong oxidants, nitrites, inorganic chlorides, chlorites and perchlorates

causing fire and explosion hazard.

Chemical stability Stable under normal temperature conditions and recommended use.

Possibility of hazardous

reactions

Hazardous polymerization does not occur.

Conditions to avoid Contact with incompatible materials. Heat, sparks, flames, elevated temperatures. UAN will form

urea nitrate when mixed with nitric acid at low pH. Urea nitrate may become unstable and/or

explosive under certain conditions.

Incompatible materials Reacts violently with strong oxidants, nitrites, inorganic chlorides, chlorites and perchlorates

causing fire and explosion hazard.

Hazardous decomposition

products

Carbon oxides. Nitrogen oxides (NOx). Ammonia. Biuret. Cyanide compounds.

11. Toxicological information

Information on likely routes of exposure

Inhalation Vapors and spray mist may irritate throat and respiratory system and cause coughing.

Skin contact Prolonged or repeated skin contact may cause irritation.

Eye contact Causes serious eye irritation.

Ingestion Ingestion may cause irritation and malaise.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms can include irritation, redness, scratching of the cornea, and tearing.

350 mg/kg, as Ammonium hydroxide

Information on toxicological effects

Acute toxicity May cause discomfort if swallowed.

Rat

Components	Species	Test Results	
Ammonia (CAS 7664-41-7)			
Acute			
Inhalation			
LC50	Rat	5.1 mg/l, 1 Hours	
Oral			

LD50

Species Test Results Components

Ammonium nitrate (CAS 6484-52-2)

Acute

Inhalation

LC50 Rat > 88.8 mg/l, 4 Hours

Oral

LD50 Rat 4500 mg/kg

Urea (CAS 57-13-6)

Acute

Oral

LD50 Rat 14300 mg/kg

Prolonged exposure may cause skin irritation. Skin corrosion/irritation

Serious eye damage/eye

Causes serious eve irritation.

irritation

Respiratory or skin sensitization

Respiratory sensitization No data available. Skin sensitization Not a skin sensitizer. Germ cell mutagenicity No data available.

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Carcinogenicity

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicity No data available. No data available. Specific target organ toxicity -

single exposure

Specific target organ toxicity -

repeated exposure

No data available.

Not classified. **Aspiration hazard**

Chronic effects Prolonged exposure may cause chronic effects.

Further information No other specific acute or chronic health impact noted.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components **Species Test Results** Ammonia (CAS 7664-41-7) Aquatic Fish

LC50 Chinook salmon (Oncorhynchus 0.43 - 0.47 mg/l, 96 hours

tshawytscha)

Urea (CAS 57-13-6)

Aquatic

LC50 Fish Leuciscus idus > 6810 mg/l, 96 hours

No data available. Persistence and degradability Bioaccumulative potential No data available. Partition coefficient n-octanol / water (log Kow)

Urea (CAS 57-13-6) -2.11

Mobility in soil This product is water soluble and may disperse in soil.

Other adverse effects No data available.

13. Disposal considerations

Disposal instructions Do not allow this material to drain into sewers/water supplies. Dispose in accordance with all

applicable regulations.

The waste code should be assigned in discussion between the user, the producer and the waste Hazardous waste code

disposal company.

Waste from residues / unused

products

Disposal recommendations are based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal.

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to

Not established.

Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

CERCLA Hazardous Substance List (40 CFR 302.4)

Ammonia (CAS 7664-41-7)

LISTED

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous Yes

chemical

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.	
Ammonium nitrate	6484-52-2	0.5 - 40	

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Ammonia (CAS 7664-41-7)

Safe Drinking Water Act

(SDWA)

Not regulated.

US state regulations This product does not contain a chemical known to the State of California to cause cancer, birth

defects or other reproductive harm.

US. Massachusetts RTK - Substance List

Ammonia (CAS 7664-41-7)

Ammonium nitrate (CAS 6484-52-2)

US. New Jersey Worker and Community Right-to-Know Act

Ammonia (CAS 7664-41-7)

Ammonium nitrate (CAS 6484-52-2)

US. Pennsylvania Worker and Community Right-to-Know Law

Ammonia (CAS 7664-41-7)

Ammonium nitrate (CAS 6484-52-2)

US. Rhode Island RTK

Ammonia (CAS 7664-41-7)

Urea Ammonium Nitrate Solution, 27-0-0

Ammonium nitrate (CAS 6484-52-2)

US. California Proposition 65

Not Listed.

International Inventories

Country(s) or region Inventory name On inventory (yes/no)*

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

. .

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date 17-Sept-2015

Revision date - Version # 01

Further information HMIS® is a registered trade and service mark of the NPCA.

HMIS® ratings Health: 2

Flammability: 1 Physical hazard: 0

NFPA ratings



List of abbreviations

EC50: Effective concentration, 50%. LC50: Lethal Concentration, 50%.

References EPA: Acquire database

HSDB® - Hazardous Substances Data Bank

Disclaimer

NOTICE: The information presented herein is based on data considered to be accurate as of the date of preparation of this Safety Data Sheet (SDS) and was prepared pursuant to Government regulation(s) that identify specific types of information to be provided. This SDS may not be used as a commercial specification sheet of manufacturer or seller, and no warranty or representation, expressed or implied, is made as to the accuracy or comprehensiveness of the foregoing data and safety information, nor is any authorization given or implied to practice any patented invention without a license. Additional information may be needed to evaluate other uses of the product, including use of the product in combination with any materials or in any processes other than those specifically referenced. Information provided herein with respect to any hazards that may be associated with the product is not meant to suggest that use of the product in a given application will necessarily result in any exposure or risk to workers or the general public. No responsibility can be assumed by vendor for any damage or injury resulting from abnormal use, from any failure to adhere to recommended practices, or from any hazards inherent in the nature of the product. Purchasers and users assume all risk of use, storage and handling of the product in compliance with applicable federal, state and local laws and regulations. Purchasers and users of the product specifically should advise all of their employees, agents, contractors and customers who will use the product of this (M)SDS.

Urea Ammonium Nitrate Solution, 27-0-0

Version #: 01 Revision date: - Issue date: 17-Sept-2015